

L Number	Hits	Search Text	DB	Time stamp
5	1	("6675031").pn.	USPAT	2004/04/26 16:56
6	9	("4653498" "4858615" "4942877" "4974591" "5190038" "5782758" "5846190" "5987343" "6104938").PN.	USPAT	2004/04/26 17:09
7	144	(600/309-310,316,322-324,326,328,330,336,334 or 356/39-42.ccls. or (saturated with oxygen) or (saturation with oxygen) or oxyhemoglobin or deoxyhemoglobin or oximeter or oximetry) and (alarm with (secur\$3 fasten\$3 plac\$3 anchor\$3 attach\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 17:12
8	185	(600/309-310,316,322-324,326,328,330,336,334 or 356/39-42.ccls. or (saturated with oxygen) or (saturation with oxygen) or oxyhemoglobin or deoxyhemoglobin or oximeter or oximetry) and ((alarm threshold limitation limit\$3 boundar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 17:52
9	354	hematocrit ((saturated (blood with (content level)) saturation) with oxygen) (blood with (constituent component analyte glucose)) oximet\$ oxymet\$3) and (((sensor probe) with (stor\$3 memory)) same (accuracy quality normal abnormal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 18:11
10	36	600/344.ccls. and ((indicator or alarm or inform\$3 or determin\$3 or indicat\$3 or information or determination or indication) with (secur\$3 fasten\$3 plac\$3 anchor\$3 attach\$3 fix\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 18:17
11	29	(600/309-310,316,322-324,326,328,330,336,334 or 356/39-42.ccls. or (oximeter or oximetry).ab.) and (quality or confidence) with (level) and AC and DC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 18:21
12	120	(600/\$.ccls. 356/39-42.ccls. \$hemoglobin hematocrit ((saturated (blood with (content level)) saturation) with oxygen) (blood with (constituent component analyte glucose)) oximet\$) and (((probe cable connector sensor) with (memory EEPROM chip micro\$chip stor\$3)) same ((quality accuracy) with (evaluation analysis signal reading result)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 18:28